

THE CONSERVATIVE REVIEW

[Horowitz: German insurance claims hint at millions of unreported vaccine injuries](#)

[Daniel Horowitz](#)

August 15, 2022


What if 1 in 23 individuals jabbed with the COVID bioproduct experienced an adverse reaction strong enough to trigger an insurance claim? Now consider the fact that [5.31 billion people](#) in the world received at least one jab, with hundreds of millions receiving three or four jabs, and you will realize we are in uncharted waters in human history.

According to [data](#) from Techniker Krankenkasse, the largest German medical insurance company, there were a total of 437,593 insurance claims billed under the four diagnostic codes for vaccine injury in 2021. To put those numbers in perspective, the total numbers billed for a vaccine injury code in the two preceding years was 13,777 and 15,044, respectively. As the [Daily Skeptic notes](#), given that TK insures 11 million people, that means 1 in 23, or 4.3%, had a medical treatment billed for vaccine injury. And that assumes all 11 million were vaccinated. The background vaccination rate in Germany is 78%, although most of the unvaccinated are children, so the rate of injury per vaccinated person is likely even higher (5.1%).

Putting aside confounding factors, but just to provide a rough estimate to open your mind to the scope of this problem, a 4.3% clinical level injury rate, if extrapolated for the 223 million vaccinated in the United States, would equal approximately 9.6 million injured Americans. While that number sounds unconscionable, remember that this data harmonizes almost perfectly with [the Israeli health ministry survey](#) that found a 4.5% rate of neurological side effects just from those who received booster shots (not total doses, which is likely more).

However, this data, and the extrapolation for the U.S. population, is even more credible when you look at the [VAERS data](#). The total number of reported hospitalizations, urgent care visits, or doctor's visits reported to VAERS (just for the U.S.) for the COVID shots as of Aug. 5 is 337,579.

854,081 Reports Through August 5, 2022 ●



An underreporting factor of roughly 28 would get you 9.6 million clinical-level injuries. Leading VAERS expert Dr. Jessica Rose [estimated](#), using independent rates of anaphylaxis events from a Mass General study, an underreporting factor as high as 41 for serious adverse events in VAERS.

Obviously, vaccine injury billing codes, VAERS data for doctor visits, and the Israeli health ministry survey are not the exact same data point, but they all seem to coalesce around a rate of several percentage points of injury beyond the typical mild symptoms one would expect to experience from the shot. Moreover, we can actually independently verify the German billing data more precisely by using the same diagnostic codes for vaccine injury in the U.S. military. The four codes tabulated in the German TK billing data for 2021 are the following:

- T.88.0: Infection following immunisation
- T.88.1: Other complications after immunisation
- U.12.9: Adverse effects after Covid-19 immunisation
- Y.59.9: Complications due to vaccines or biological substances

I asked a source in the military with access to the Defense Medical Epidemiology Database (DMED) system to pull equivalent data on vaccine injury. While some of these codes did not come up, here is the data for T50.B95, “Adverse Effect of Other Viral Vaccine.”

ICD Codes: T50.B95 Adverse effect of other viral vaccines

Service: All

Grade: All

Data Sources: Hospitalizations Ambulatory Data Reportable Events

Gender: All

Marital Status: All

Query Type: ICD-10 Based Query Oct 2015 to present

Age: All

Time: 2016 2017 2018 2019 2020 2021 2022

Condition: Primary Diagnosis

Race: All

Occurrence: All Occurrences

Counts Population Rate Line Chart Bar Chart

Hospitalizations

Reportable Events

Ambulatory Data

	2016	2017	2018	2019	2020	2021	Total
Army	69	66	69	57	49	797	1,107
Navy	26	16	20	28	21	342	453
Air Force	52	46	48	57	36	443	682
Marines	29	11	23	12	7	135	217
Total	176	139	160	154	113	1,717	2,459

Export To Excel

Print

The rate of increase is 11.6-fold, not as dramatic as the 30-fold increase in Germany, but this is just one code. Also, it's likely that the military population would have a higher baseline *background rate* of reported adverse effects annually than a civilian population because they receive many more vaccines every year per capita.

When using ICD codes to extrapolate the scope of vaccine injury, keep in mind that these numbers likely substantially understate the total adverse events. Most doctors worship the vaccine with religious fervor, and there is a virulent stigma against implicating the vaccine for a particular malady or injury. So the fact that medical billing codes are hinting at this degree of cataclysmic injury is astounding. Moreover, there are no billing codes for death, which is clearly being underreported.

That the shots are still even being made available, much less coerced upon the public in many circumstances, represents the greatest violation of the Nuremberg Code of all time. It's not even the fact that they are experimenting on all of humanity. The data is in and the shots have affirmatively been proven dangerous. They are no longer even experimental.

In a [shocking letter](#), the incoming president of the Australian Medical Professionals Society, Christopher Neil, made it clear that Australian doctors must not be gagged in speaking out and offering informed consent. "Indeed, now 17 months later and after numerous forms of pressure to take up the COVID-19 injectables in various age categories, a tremendous amount of data is available to more fully and accurately inform clinicians about these products," wrote Dr. Neil to the Australian Colleges and Associations of Medicine, Health, and Science, and members of Parliament.

“This literature includes over one thousand peer reviewed studies reporting of the harms being seen around the world, up to December 2021.”

Neil observes the obvious – that the degree of adverse event reporting is sky-high. “To be clear, the TGA has received more Adverse Event reports in 2021 through June 2022 for the COVID-19 vaccines, than they have been seen for all other vaccines in the preceding 50-year period.”

If you just take the data from VAERS and the EudraVigilance system of the European Medicines Agency, there were [a total of 76,253 dead and 6,033,218 injured](#), as of mid-July. That in itself is mind-blowing, but if you adjust for an underreporting factor of 41, that would total nearly 1.9 million deaths and 247 million injuries! Amazingly, yet sickeningly, 247 million injuries would equal 4.6% of all the people jabbed on this third rock from the sun – nearly exactly the extrapolated rate of injury from the German medical billing data!

Some are asking whether Steve Deace and I were overly dramatic in [calling this the Fourth Reich](#) and demanding a Nuremberg trial. But as the days pass and the sheer horror of this becomes apparent, the public will want to know why there was no demand to abide by the Nuremberg Code from day one.

THE GATEWAY PUNDIT

EXCLUSIVE: European Medicines Agency Data Shows 1,163,356 Adverse Drug Reactions and 30,551 Fatalities by COVID-19 Vaccinations

By [Jim Hoft](#)

Published November 19, 2021 at 11:45am

The official European Union database of suspected drug reaction website is now reporting 30,551 fatalities and 1,163,356 adverse drug reactions from COVID vaccines Pfizer, Moderna, Johnson & Johnson, and AztraZeneca through November 13, 2021 based on the data submitted to its system.

According to [European Medicines Agency](#), an official website of the European Union, the data of adverse reaction from COVID-19 vaccines were posted in [ADRreports.eu](#) portal that “allows users to view the total number of individual suspected side effect reports (also known as Individual Case Safety Reports, or ICSRs).”

All the data shown in the website and individual case report forms were taken from [EudraVigilance](#), “a system designed for collecting reports of suspected side effects, used for evaluating the benefits and risks of medicines during their development and monitoring their safety following their authorization in the European Economic Area (EEA).”

The information were submitted electronically to [EudraVigilance](#) by “national medicines regulatory authorities and by pharmaceutical companies that hold marketing authorisations (licences) for the medicines.”

TRENDING: [2000Mules Texas Style: Newly Discovered Police Body Cam Footage Implicates Top Tarrant Co. Texas Democrat Officials in Ballot Harvesting](#)

From [ADRreports](#) website:

- Pharmaceutical companies that hold the marketing authorisation of a medicine, as well as medicines regulatory authorities in the EEA, **are legally required to submit reports of suspected side effects to EudraVigilance**. This includes reports received from healthcare professionals and patients. This excludes non-serious side effects occurring outside the EEA.
- The web report does **not include reports from studies** (e.g. clinical trial, non-interventional study) **or other types of reports** (i.e. only spontaneous reports).
- **A side effect is classified as ‘serious’** if it (i) results in death, (ii) is life-threatening, (iii) requires hospitalisation or prolongation of existing hospitalisation, (iv) results in persistent or significant disability/incapacity (as per reporter’s opinion), (v) is a congenital anomaly/birth defect, or (vi) results in some other medically important conditions.

Advertisement - story continues below

A report from [Health Impact News](#) mentioned that the database maintained at EudraVigilance is only for countries in Europe who are part of the European Union (EU), which comprises 27 countries. That means, adverse reaction from the COVID vaccines would be much higher if we include all countries in Europe.

Here is the summary of data through November 13, 2021.

Total reactions for the mRNA vaccine Tozinameran (code BNT162b2, Comirnaty) **from BioNTech/ Pfizer: 14,303 fatalities** and **562,213 cases of adverse reaction** to 11/13/2021 as identified in EudraVigilance:

Reaction Groups\Seriousness	Number of individual cases			Total
	Non Serious	Not Specified	Serious	
Blood and lymphatic system disorders	23,283	0	11,863	35,146
Cardiac disorders	11,029	0	28,051	39,080
Congenital, familial and genetic disorders	42	0	320	362
Ear and labyrinth disorders	9,016	0	8,567	17,583
Endocrine disorders	300	0	862	1,162
Eye disorders	8,400	0	11,613	20,013
Gastrointestinal disorders	67,542	0	41,293	108,835
General disorders and administration site conditions	222,915	0	108,367	331,282
Hepatobiliary disorders	206	0	1,260	1,466
Immune system disorders	3,401	0	10,773	14,174
Infections and infestations	18,192	0	33,297	51,489
Injury, poisoning and procedural complications	3,647	0	15,383	19,030
Investigations	12,936	0	19,377	32,313
Metabolism and nutrition disorders	3,081	0	5,801	8,882
Musculoskeletal and connective tissue disorders	114,779	0	47,526	162,305
Neoplasms benign, malignant and unspecified (incl cysts and polyps)	93	0	1,033	1,126
Nervous system disorders	133,597	0	87,639	221,236
Pregnancy, puerperium and perinatal conditions	97	0	1,698	1,795
Product issues	95	0	108	203
Psychiatric disorders	9,926	0	13,741	23,667
Renal and urinary disorders	1,238	0	3,316	4,554
Reproductive system and breast disorders	29,192	0	12,521	41,713
Respiratory, thoracic and mediastinal disorders	20,673	0	35,158	55,831
Skin and subcutaneous tissue disorders	33,135	0	28,095	61,230
Social circumstances	512	0	2,157	2,669
Surgical and medical procedures	642	0	3,092	3,734
Vascular disorders	11,573	0	22,512	34,085
Total	347,739	0	214,474	562,213

Fatalities:

Advertisement - story continues below

- Blood and lymphatic system disorders include **200 fatalities** and **12,412 not recovered**
- Cardiac disorders include **2,095 fatalities** and **10,336 not recovered**
- Congenital, familial and genetic disorders include **32 fatalities** and **125 not recovered**
- Ear and labyrinth disorders include **10 fatalities** and **7,561 not recovered**
- Endocrine disorders include **5 fatalities** and **512 not recovered**
- Eye disorders include **31 fatalities** and **6,636 not recovered**
- Gastrointestinal disorders include **573 fatalities** and **25,520 not recovered**
- General disorders and administration site conditions include **4,057 fatalities** and **82,029 not recovered**
- Hepatobiliary disorders include **73 fatalities** and **334 not recovered**

- Immune system disorders include **74 fatalities** and **1,911 not recovered**
- Infections and infestations include **1,545 fatalities** and **11,502 not recovered**
- Injury, poisoning and procedural complications include **235 fatalities** and **1,915 not recovered**
- Investigations include **440 fatalities** and **7,080 not recovered**
- Metabolism and nutrition disorders include **247 fatalities** and **2,249 not recovered**
- Musculoskeletal and connective tissue disorders include **177 fatalities** and **45,626 not recovered**
- Neoplasms benign, malignant and unspecified (incl cysts and polyps) include **111 fatalities** and **369 not recovered**
- Nervous system disorders include **1,532 fatalities** and **60,907 not recovered**
- Pregnancy, puerperium and perinatal conditions include **55 fatalities** and **253 not recovered**
- Product issues include **2 fatalities** and **26 not recovered**
- Psychiatric disorders include **172 fatalities** and **6,633 not recovered**
- Renal and urinary disorders include **223 fatalities** and **1,213 not recovered**
- Reproductive system and breast disorders include **5 fatalities** and **19,918 not recovered**
- Respiratory, thoracic and mediastinal disorders include **1,599 fatalities** and **15,449 not recovered**
- Skin and subcutaneous tissue disorders include **123 fatalities** and **17,883 not recovered**
- Social circumstances include **19 fatalities** and **888 not recovered**
- Surgical and medical procedures include **55 fatalities** and **237 not recovered**
- Vascular disorders include **613 fatalities** and **8,618 not recovered**

Total reactions for the mRNA vaccine mRNA-1273(CX-024414) from Moderna: **8,385 fatalities** and **155,793 adverse reaction** to 11/13/2021:

Reaction Groups\Seriousness	Number of individual cases			Total
	Non Serious	Not Specified	Serious	
Blood and lymphatic system disorders	5,083	0	2,996	8,079
Cardiac disorders	2,317	0	10,042	12,359
Congenital, familial and genetic disorders	8	0	147	155
Ear and labyrinth disorders	1,654	0	2,976	4,630
Endocrine disorders	58	0	286	344
Eye disorders	1,614	0	4,037	5,651
Gastrointestinal disorders	17,757	0	13,923	31,680
General disorders and administration site conditions	67,053	0	36,151	103,204
Hepatobiliary disorders	43	0	583	626
Immune system disorders	1,082	0	2,632	3,714
Infections and infestations	4,591	0	9,775	14,366
Injury, poisoning and procedural complications	1,718	0	6,318	8,036
Investigations	3,228	0	3,725	6,953
Metabolism and nutrition disorders	810	0	2,833	3,643
Musculoskeletal and connective tissue disorders	31,095	0	15,611	46,706
Neoplasms benign, malignant and unspecified (incl cysts and polyps)	31	0	481	512
Nervous system disorders	33,659	0	31,720	65,379
Pregnancy, puerperium and perinatal conditions	26	0	682	708
Product issues	26	0	47	73
Psychiatric disorders	1,680	0	5,295	6,975
Renal and urinary disorders	332	0	1,894	2,226
Reproductive system and breast disorders	5,482	0	2,336	7,818
Respiratory, thoracic and mediastinal disorders	4,322	0	12,607	16,929
Skin and subcutaneous tissue disorders	10,819	0	9,762	20,581
Social circumstances	203	0	1,541	1,744
Surgical and medical procedures	210	0	1,118	1,328
Vascular disorders	2,186	0	7,311	9,497
Total	87,921	0	67,872	155,793

Fatalities:

- Blood and lymphatic system disorders incl. **94 fatalities** and **2,977 not recovered**
- Cardiac disorders incl. **895 fatalities** and **3,504 not recovered**
- Congenital, familial and genetic disorders incl. **6 fatalities** and **52 not recovered**
- Ear and labyrinth disorders incl. **2 fatalities** and **2,401 not recovered**
- Endocrine disorders incl. **3 fatalities** and **160 not recovered**
- Eye disorders incl. **29 fatalities** and **2,197 not recovered**
- Gastrointestinal disorders incl. **324 fatalities** and **7,467 not recovered**
- General disorders and administration site conditions incl. **2,944 fatalities** and **31,159 not recovered**
- Hepatobiliary disorders incl. **40 fatalities** and **192 not recovered**
- Immune system disorders incl. **15 fatalities** and **650 not recovered**
- Infections and infestations incl. **769 fatalities** and **3,864 not recovered**
- Injury, poisoning and procedural complications incl. **156 fatalities** and **1,201 not recovered**

- Investigations incl. **136 fatalities** and **1,883 not recovered**
- Metabolism and nutrition disorders incl. **204 fatalities** and **1,048 not recovered**
- Musculoskeletal and connective tissue disorders incl. **170 fatalities** and **14,145 not recovered**
- Neoplasms benign, malignant and unspecified (incl cysts and polyps) incl. **65 fatalities** and **193 not recovered**
- Nervous system disorders incl. **810 fatalities** and **18,937 not recovered**
- Pregnancy, puerperium and perinatal conditions incl. **7 fatalities** and **121 not recovered**
- Product issues incl. **2 fatalities** and **5 not recovered**
- Psychiatric disorders incl. **140 fatalities** and **2,118 not recovered**
- Renal and urinary disorders incl. **164 fatalities** and **587 not recovered**
- Reproductive system and breast disorders incl. **7 fatalities** and **3,554 not recovered**
- Respiratory, thoracic and mediastinal disorders incl. **900 fatalities** and **5,291 not recovered**
- Skin and subcutaneous tissue disorders incl. **76 fatalities** and **6,658 not recovered**
- Social circumstances incl. **35 fatalities** and **802 not recovered**
- Surgical and medical procedures incl. **77 fatalities** and **268 not recovered**
- Vascular disorders incl. **315 fatalities** and **2,788 not recovered**

Total reactions for the COVID-19 vaccine JANSSEN (AD26.COV2.S) from Johnson & Johnson: **1,793 fatalities** and **37,038 adverse reaction** to 11/13/2021:

Reaction Groups \ Seriousness	Number of individual cases			Total
	Non Serious	Not Specified	Serious	
Blood and lymphatic system disorders	382	0	577	959
Cardiac disorders	601	0	1,197	1,798
Congenital, familial and genetic disorders	0	0	35	35
Ear and labyrinth disorders	648	0	356	1,004
Endocrine disorders	16	0	49	65
Eye disorders	625	0	691	1,316
Gastrointestinal disorders	6,462	0	1,924	8,386
General disorders and administration site conditions	18,985	0	7,365	26,350
Hepatobiliary disorders	11	0	108	119
Immune system disorders	81	0	349	430
Infections and infestations	1,175	0	2,946	4,121
Injury, poisoning and procedural complications	230	0	665	895
Investigations	1,641	0	3,049	4,690
Metabolism and nutrition disorders	235	0	376	611
Musculoskeletal and connective tissue disorders	11,952	0	2,739	14,691
Neoplasms benign, malignant and unspecified (incl cysts and polyps)	2	0	52	54
Nervous system disorders	14,365	0	5,432	19,797
Pregnancy, puerperium and perinatal conditions	2	0	37	39
Product issues	9	0	17	26
Psychiatric disorders	621	0	734	1,355
Renal and urinary disorders	102	0	299	401
Reproductive system and breast disorders	1,708	0	287	1,995
Respiratory, thoracic and mediastinal disorders	1,308	0	2,218	3,526
Skin and subcutaneous tissue disorders	1,963	0	1,069	3,032
Social circumstances	57	0	254	311
Surgical and medical procedures	5	0	673	678
Vascular disorders	602	0	2,484	3,086
Total	24,263	0	12,775	37,038

Fatalities:

Advertisement - story continues below

- Blood and lymphatic system disorders incl. **39 fatalities** and **388 not recovered**
- Cardiac disorders incl. **154 fatalities** and **517 not recovered**
- Congenital, familial and genetic disorders incl. **0 fatalities** and **18 not recovered**
- Ear and labyrinth disorders incl. **2 fatalities** and **528 not recovered**
- Endocrine disorders incl. **1 fatalities** and **36 not recovered**
- Eye disorders incl. **7 fatalities** and **598 not recovered**
- Gastrointestinal disorders incl. **74 fatalities** and **2,100 not recovered**
- General disorders and administration site conditions incl. **479 fatalities** and **8,852 not recovered**
- Hepatobiliary disorders incl. **11 fatalities** and **39 not recovered**
- Immune system disorders incl. **9 fatalities** and **106 not recovered**

- Infections and infestations incl. **140 fatalities** and **669 not recovered**
- Injury, poisoning and procedural complications incl. **18 fatalities** and **262 not recovered**
- Investigations incl. **101 fatalities** and **1,778 not recovered**
- Metabolism and nutrition disorders incl. **45 fatalities** and **192 not recovered**
- Musculoskeletal and connective tissue disorders incl. **42 fatalities** and **5,125 not recovered**
- Neoplasms benign, malignant and unspecified (incl cysts and polyps) incl. **3 fatalities** and **25 not recovered**
- Nervous system disorders incl. **195 fatalities** and **6,390 not recovered**
- Pregnancy, puerperium and perinatal conditions incl. **1 fatalities** and **8 not recovered**
- Product issues incl. **0 fatalities** and **1 not recovered**
- Psychiatric disorders incl. **16 fatalities** and **445 not recovered**
- Renal and urinary disorders incl. **21 fatalities** and **140 not recovered**
- Reproductive system and breast disorders incl. **6 fatalities** and **1,059 not recovered**
- Respiratory, thoracic and mediastinal disorders incl. **227 fatalities** and **1,385 not recovered**
- Skin and subcutaneous tissue disorders incl. **7 fatalities** and **1,131 not recovered**
- Social circumstances incl. **4 fatalities** and **157 not recovered**
- Surgical and medical procedures incl. **53 fatalities** and **328 not recovered**
- Vascular disorders incl. **138 fatalities** and **1,222 not recovered**

Total reactions for the vaccine AZD1222/VAXZEVRIA (CHADOX1 NCOV-19) from Oxford/ AstraZeneca: **6,070 fatalities** and **408,312 cases** to 11/13/2021:

Reaction Groups\Seriousness	Number of individual cases			Total
	Non Serious	Not Specified	Serious	
Blood and lymphatic system disorders	4,457	0	8,600	13,057
Cardiac disorders	6,968	0	11,998	18,966
Congenital, familial and genetic disorders	21	0	165	186
Ear and labyrinth disorders	4,542	0	8,051	12,593
Endocrine disorders	134	0	457	591
Eye disorders	6,722	0	12,092	18,814
Gastrointestinal disorders	46,637	0	55,468	102,105
General disorders and administration site conditions	156,376	0	125,649	282,025
Hepatobiliary disorders	116	0	824	940
Immune system disorders	1,253	0	3,489	4,742
Infections and infestations	12,930	0	19,127	32,057
Injury, poisoning and procedural complications	4,813	0	7,430	12,243
Investigations	11,592	0	11,870	23,462
Metabolism and nutrition disorders	4,074	0	8,256	12,330
Musculoskeletal and connective tissue disorders	91,074	0	67,997	159,071
Neoplasms benign, malignant and unspecified (incl cysts and polyps)	121	0	494	615
Nervous system disorders	107,212	0	113,606	220,818
Pregnancy, puerperium and perinatal conditions	53	0	466	519
Product issues	57	0	128	185
Psychiatric disorders	6,235	0	13,601	19,836
Renal and urinary disorders	1,316	0	2,700	4,016
Reproductive system and breast disorders	7,083	0	7,931	15,014
Respiratory, thoracic and mediastinal disorders	12,221	0	25,563	37,784
Skin and subcutaneous tissue disorders	20,108	0	28,955	49,063
Social circumstances	524	0	955	1,479
Surgical and medical procedures	353	0	1,009	1,362
Vascular disorders	8,732	0	17,802	26,534
Total	205,828	0	202,484	408,312

Fatalities:

Advertisement - story continues below

- Blood and lymphatic system disorders incl. **246 fatalities** and **4,787 not recovered**
- Cardiac disorders incl. **685 fatalities** and **4,253 not recovered**
- Congenital, familial and genetic disorders incl. **7 fatalities** and **67 not recovered**
- Ear and labyrinth disorders incl. **3 fatalities** and **5,412 not recovered**
- Endocrine disorders incl. **4 fatalities** and **250 not recovered**
- Eye disorders incl. **29 fatalities** and **6,475 not recovered**
- Gastrointestinal disorders incl. **312 fatalities** and **21,929 not recovered**
- General disorders and administration site conditions incl. **1,450 fatalities** and **70,400 not recovered**
- Hepatobiliary disorders incl. **59 fatalities** and **276 not recovered**
- Immune system disorders incl. **28 fatalities** and **863 not recovered**
- Infections and infestations incl. **407 fatalities** and **7,177 not recovered**

- Injury, poisoning and procedural complications incl. **175 fatalities** and **2,665 not recovered**
- Investigations incl. **147 fatalities** and **4,983 not recovered**
- Metabolism and nutrition disorders incl. **89 fatalities** and **3,365 not recovered**
- Musculoskeletal and connective tissue disorders incl. **92 fatalities** and **46,384 not recovered**
- Neoplasms benign, malignant and unspecified (incl cysts and polyps) incl. **22 fatalities** and **184 not recovered**
- Nervous system disorders incl. **948 fatalities** and **58,962 not recovered**
- Pregnancy, puerperium and perinatal conditions incl. **12 fatalities** and **71 not recovered**
- Product issues incl. **1 fatalities** and **68 not recovered**
- Psychiatric disorders incl. **58 fatalities** and **5,353 not recovered**
- Renal and urinary disorders incl. **58 fatalities** and **1,109 not recovered**
- Reproductive system and breast disorders incl. **2 fatalities** and **7,424 not recovered**
- Respiratory, thoracic and mediastinal disorders incl. **722 fatalities** and **11,185 not recovered**
- Skin and subcutaneous tissue disorders incl. **48 fatalities** and **14,633 not recovered**
- Social circumstances incl. **6 fatalities** and **470 not recovered**
- Surgical and medical procedures incl. **25 fatalities** and **300 not recovered**
- Vascular disorders incl. **435 fatalities** and **7,180 not recovered**

Summary of cases and fatalities of each vaccines:

Vaccine	Non Serious	Serious	Fatalities	Total (Non serious & Serious)
BioNTech/Pfizer	347,739	214,474	14,303	562,213
Moderna	87,921	67,872	8,385	155,793
Johnson & Johnson	24,263	12,775	1,793	37,038
Oxford/AstraZeneca	205,828	202,484	6,070	408,312
Total (Non-serious & Serious)	665,751	497,605	30,551	1,163,356

**These totals are estimates based on reports submitted to EudraVigilance.*

As reported from [Health Impact News](#), “the fatalities are grouped by symptoms, and some fatalities may have resulted from multiple symptoms.”

Adverse events of special interest (AESI) up to and including 20 November 2021

AESI Category	AESI	Total ^a
Immune system disorders	Gullain Barre Syndrome	17
	Thrombocytopenia	25
	Thrombosis with thrombocytopenia syndrome (TTS)	0
	Anaphylaxis ^b	32
Cardiovascular system	Myocardial infarction (heart attack)	46
	Myocarditis/pericarditis	277
Blood and lymphatic system	Thrombosis	45
	Embolism	83
	Deep vein thrombosis (DVT)	82
	Vasculitis	62
	Haemorrhage	111
Hepato-gastrointestinal and renal system	Acute kidney injury	16
	Acute liver injury	<6
	Pancreatitis	6
	Appendicitis	12
Nervous system	Aseptic meningitis	<6
	Encephalitis	<6
	Stroke	80
	Bell's Palsy/facial paralysis	135
	Myelitis/myelitis transverse	<6
Infections and musculoskeletal	Erythema multiforme	10
	Arthritis	54
	Herpes zoster	229
Pregnancy, puerperium and perinatal conditions	Abortion (spontaneous abortion/miscarriage)	37

a. Includes all reports, both serious and non-serious. Counts below 6 are reported as <6 for privacy reasons. Counts may change due to receipt of additional information and subsequent reclassification of cases.

b. Includes reports meeting levels 1-3 of the [@vaxhub Collaboration case definition](#)¹⁷.

The letter urges healthcare providers to support the government in “leading a response in your region, in partnership with primary care, urgent care, pharmacy, and other community organisations and providers. We need to ensure that consumers are well informed of this rare side effect and know when to seek help. We also want to ensure that the health system is poised to diagnose and clinically manage consumers with this condition appropriately.”

The Ministry’s letter goes on to state, “Serious complications of this condition are avoidable with timely assessment and treatment. A critical component to preventing the harm of vaccine-associated myocarditis/pericarditis is effective person-centred communication at point of vaccination. We know vaccinators and clinicians are excellent in describing the common and mild vaccine side-effects to consumers prior to vaccination as part of the consent conversation. However, informing consumers of the rare and serious potential side-effects (such as anaphylaxis, myocarditis and pericarditis) is also crucial.”

We recently [reported](#) on the unprecedented level of marketing & promotion of mass vaccination events that have been run in the last few months, particularly in Auckland. While the “common and mild” adverse effects are always mentioned by vaccinators, we are aware that aside from the requirement to remain under observation for 15 minutes post injection, recipients of the injections are rarely informed of the risk of serious side effects at the point of injection.

A recent [document](#) release by Pfizer as a result of a US Court order also revealed a very large array of previously unknown vaccine adverse effects compiled from

official sources around the world. Pfizer concedes this is ‘a large increase’ in adverse event reports and that even this huge volume is under-reported.

With workplace and sporting vaccination mandates becoming more widespread, it is likely NZ will see an increase in the number of vaccine-associated myocarditis or pericarditis incidents.

JUST THE NEWS

Deaths represent 1.3% of side effects reported for COVID vaccines: peer-reviewed CDC study

Vaccine experts are skeptical of agency's reliance on Vaccine Adverse Events Reporting System, however. Study's time period excludes nearly all minors.

By [Greg Piper](#)

Updated: March 14, 2022 - 10:16am

Deaths following mRNA vaccination against COVID-19 represented 13 out of every 1,000 reports (1.3%) to the federal government's Vaccine Adverse Events Reporting System (VAERS), the CDC's Atlanta-based researchers said last week.

Another 66 reports out of every 1,000 (6.6%) were categorized as "serious," resulting in "inpatient hospitalisation, prolongation of hospitalisation, permanent disability, life-threatening illness, congenital anomaly or birth defect," according to their study published in [The Lancet](#), the U.K.-based medical journal.

VAERS is often dubbed a passive surveillance system because it accepts reports from anyone. The [CDC previously told Just the News](#) that most reports come from manufacturers or healthcare providers, who have mandatory reporting requirements.

But the researchers said they also consulted an "active" smartphone-based voluntary monitoring system, v-safe, created in 2020. The data show that "most reported adverse events were mild and short in duration," with 18-49 year-olds representing a plurality (45%) and females a supermajority (75%).

Mainstream media uncritically ran with the CDC's framing, with [USA Today](#) touting researcher David Shay's assurance that the death rate was expected given the elderly population studied. About a quarter of reports were from ages 65 and up.

A large subset of young people was almost entirely excluded, however: minors.

The study only reviewed the first six months of emergency use authorization (EUA) for the Pfizer and Moderna vaccines, covering 340,000 reports and 299 million doses.

That time period ends just a month after Pfizer's vaccine was authorized for 12-15 year-olds and predates its EUA for children 5-11, while Moderna's vaccine remains [unauthorized for anyone under 18](#). The study's youngest age range is 16-17, representing 2% of all reports.

"Why the cut-off at six months? There are now data that extend for 14 months, and those data include children," Robert Malone, the mRNA vaccine pioneer-turned-critic, wrote in his [newsletter](#).

Health authorities worldwide have recognized young people, particularly males, as having a higher risk for heart inflammation following mRNA vaccination, especially after the second dose. That was the FDA's rationale to [indefinitely pause consideration of Moderna's vaccine](#) for adolescents.

Malone also faulted the CDC researchers' prior literature search of the National Institutes of Health's PubMed database. Their search methodology was so complicated that it returned few papers describing post-vaccination health impacts, in contrast to [Malone's much longer list of relevant papers](#) through January.

Mainstream vaccine scientists who have questioned the feds' COVID vaccine strategy, particularly boosters-for-all and refusal to recognize natural immunity, had a different critique of the study than Malone.

"From the report of these VAERS data, one can neither conclude that the vaccine is safe or that it is not safe," epidemiologist Martin Kulldorff, formerly of Harvard Medical School, told Just the News.

"From the v-safe survey, we can conclude that mild adverse reactions are very common, and more common than for most vaccines, but we already knew that from the randomized clinical trials," the Great Barrington Declaration coauthor wrote in an email. "We cannot conclude much about serious adverse events."

He gave the hypothetical example of three vaccines that each have 1,000 reported deaths. The first and second each have a million administered doses, but because the second has far fewer mild adverse events, it actually has a higher percentage of deaths among adverse events. The third, with only 10,000 administered doses, is actually the most dangerous but has the same percentage of deaths among adverse events as the second.

The CDC kicked Kulldorff off a vaccine safety panel last year for publicly questioning its recommendation for an across-the-board pause in distribution of the

Johnson & Johnson vaccine based on blood-clot reports in prime-age women. [It adopted his view days later.](#)

"I think you can really make nothing of VAERS data," Paul Offit, director of the Vaccine Education Center at Children's Hospital of Philadelphia and member of the FDA's Vaccines and Related Biological Products Advisory Committee, told Just the News in a phone call.

He doesn't understand why the CDC "bend[s] over backwards to validate" what he calls a "noisy system" that would be better described as a "hypothesis-generation mechanism." While VAERS picked up intestinal blockage reports from a rotavirus vaccine and myocarditis reports from mRNA vaccines, it was the public-private [Vaccine Safety Datalink](#) that confirmed both, Offit said.

While he couldn't explain the narrow time period studied, Offit said he doubts "the CDC is trying to lie to you." [He raised eyebrows in recent months](#) by arguing against third mRNA doses for young people, including his son, and casually discussing his participation in a federal meeting on whether to recognize natural immunity in pending vaccine mandates.

A Columbia University researcher who estimates COVID vaccine-related deaths are "[underreported by a factor of 20](#)" told Just the News he wasn't surprised by the high incidence of serious events, including death, among the adverse events reported through VAERS.

"I would expect severe events would be more likely to be reported to VAERS," clinical neurobiologist Spiro Pantazatos wrote in an email, while cautioning that COVID vaccines should be compared to "the distribution of event types for other vaccines."

What surprised him in The Lancet study: The CDC researchers didn't use "rigorous and quantitative cost-benefit analysis" to reach their conclusion that the "benefits of immunization favor vaccination."

Neither the CDC nor the study's corresponding author, Julianne Gee, responded to Just the News queries about the study's characterization of adverse events or limitation to the first six months of the vaccines' EUA.

THE GATEWAY PUNDIT

Sign at Virginia Pediatrics Office to Student Athletes: “COVID Vaccination Affects Your Heart – If You Received Doses of Any COVID Shot” We Will Not Clear You “Without Lab Work”

By [Jim Hoft](#)

Published March 14, 2022 at 10:49am

Jackson River Pediatrics is located in Alleghany County, Virginia.

Recently a patient took a photo of a sign posted at their office in Virginia.

The sign reads:

“Sports physicals are done primarily to make sure you are not at high risk for sudden cardiac death on the playing field. COVID vaccination affects your risk. In response to worldwide experience and vaccine adverse-event monitoring, we are adopting a more precautionary sports physical sign-off policy:

If you have received doses of any COVID shot, we will not be able to clear you to compete in sports without performing lab work and possibly an echocardiogram to rule out potential heart damage. “

TRENDING: [2000Mules Texas Style: Newly Discovered Police Body Cam Footage Implicates Top Tarrant Co. Texas Democrat Officials in Ballot Harvesting](#)

The Jackson River Pediatrics Facebook account is [currently offline](#). They took down their Facebook page after this sign in their office went viral.

4:23

LTE 




 is at

Jackson River Pediatrics.

2d · Covington, VA · 

I took this photo at our pediatrician's office this morning.



spoke to the owner of the Facebook photo.

“I know that sometimes we put things like sports physicals off until the last minute,” said the poster, who spoke to PJ Media anonymously. “Part of my intentions of sharing the picture that I took Monday at our pediatrician’s office was to let parents who had their children vaccinated for COVID know that they cannot wait until the last minute for sports physicals,” she said. “I have received backlash from friends and family for not having my children vaccinated for COVID,” she continued. “I believe that my husband and I made the right choice but now I have proof that someone educated far greater than I has evidence that the COVID vaccine can do damage to children’s health.”

The concerned mom thinks people deserve to have all the facts. “I don’t condemn anyone for choosing to vaccinate their children for COVID,” she said. “People need to make the decision that is best for their own situation.”

Hat Tip David